

Chip Wood, Pruned & Leafy Branches and even Vegetables with **ohashi** Chippers

Green Shark Wood Chipper

GS72G

FEATURES

- * Maximum power packed in the smallest sized body.
- * Made in Japan - Japanese quality and reliability.
- * Suitable to scale down the volume of pruned branches like garden trees, fruit trees and roadside trees etc.
- * At only 60cm wide and 185kg fit into the tightest spots!



Max. diameter
7.0
cm

Max. output
6.3
HP

Patented



Leafy branches OK



Able to load on a light truck or trailer



Long High Shooter



Chips of around 5 mm

Wood Chipper GS72G <Compact chipper for use in orchard and garden>

Max. chipping dia. 7 cm

Wood



Use for composts, mulching, making pellets or bio-energy

Leafy branches



※Regular 30mm holded screen

Easy maintenance

Rotor Cover



Designed for easy daily check and replacement of blades.

Hopper



Safety design

Electromagnetic clutch



Chipping performance has been improved by automatically controlling the feeding mechanism via an electromagnetic clutch.

Feeding operation



Easy to start and stop feeding with switch at hand.

Pressure prevention



When in reverse, slight pressure on the brake lever halts the machine reducing the risk of accidents

Feed roller release lever



Simply push the lever to release the Feed roller if materials become clogged.

Various options

Long High Shooter



Suitable and convenient to discharge chips into a light truck or into a bulk bag.

※ Not available with screen.

Screen sizes



※ Regular screen (30 mm)



Capable to adjust chip size and to produce uniform chips with 10 or 20 mm holed screens. Switching screens is easy.

Shredder-blade Set



Chipping efficiency is increased and finer chips are produced.

Specifications

			Factor		Description	
Total	Product / Model name	Wood Chipper Shredder/ GS72G	Chipping	Drive system	Belt clutch, V belt	
	L x W x H	1250×600×1000 mm		Max. chipping dia.	70 mm	
	Weight	185 kg		Chute size	335×230 mm	
Power	Engine	Mitsubishi Heavy Industries GB180-PN Gasoline Engine	Drive	Outlet height	540 mm	
	Max. output	6.3 HP / 4.6 kw		Output angle	Variable	
	Fuel	Unleaded Automobile Gasoline		Steering type	Side clutch	
	Fuel tank	3.6 L		Drive type	Self-propelled crawler type	
	Fuel consumption	2.0 L/ h		Speed	F1: 1.9 km/ h, F2: 3.9 km/ h R: 1.9 km/ h	
	Starting system	Recoil Starter				

*Specifications are subject to change without notice.



ohashi inc.

401 SAKIMURA CHIYODA KANZAKI
SAGA JAPAN 842-0065
TEL +81-952-44-3135
FAX +81-952-44-3137
E-MAIL global@ohashi-inc.com
WEB www.ohashi-inc.com